

GNSS observation file monitoring for BORJ

Last RINEX file: BORJ2330.25D.Z


RINEX version: 3.05

Marker: BORJ 14268M002

Receiver: 04824 JAVAD TRE_3S DELTA 4.5.00-241014

Antenna: 727331 LEIAR25.R4 LEIT


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites





Bands












Observations




Cycle slips













Multipath














- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-08-21 00:00:00	GPS	3769403.1453	440564.3576	5109099.4913	53.578908609	6.666431500	53.4603
2025-08-21 00:00:00	GLO	3769403.8962	440564.7827	5109099.3016	53.578902336	6.666437031	54.0748
2025-08-21 00:00:00	GAL	3769403.1932	440564.3919	5109099.4577	53.578907953	6.666432018	53.5053
2025-08-21 00:00:00	BDS	3769403.9896	440563.9005	5109100.2549	53.578907002	6.666423165	54.5411



Equipment

2025-07-23 00:00:00 JAVAD TRE_3S DELTA 4.5.00-241014 04824 JAVAD TRE_

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)