


# GNSS observation file monitoring for FHBB


Date/Time: Wed Sep 12 05:57:17 2018 UTC  
 Last RINEX file: FHBB2540.18D.Z  
 RINEX version: 2.11  
 Marker: FHBB  
 Receiver: TRIMBLE NETR9 5.22  
 Antenna: TRM59800.00 NONE

## Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

## Satellites




## Bands







### Observations




### Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


### Signal-to-noise ratio









### Estimates

2018-09-11 00:00:00 GPS 4276062.4157 573481.6813 4682320.3555 47.533869175 7.638610785 378.7889  
 2018-09-11 00:00:00 GLO 4276062.3893 573481.3771 4682320.8853 47.533872959 7.638607914 379.3242



BNC



### Equipment

2018-08-13 00:00:00 TRIMBLE NETR9 5.22 5433R492 TRM5980.00 NONE 5445355056

### Program info

G-Nut/Anubis [2.0.2] compiled: Nov 27 2016 19:27:56 (\$Rev: 1668 \$)  
BNC 2.13.0 (checkout 8149)