


GNSS observation file monitoring for KARL


Last RINEX file: KARL1090.24D.Z
 RINEX version: 3.05
 Marker: KARL00DEU 14216M001
 Receiver: 02042 JAVAD TRE_3 DELTA 4.3.00-231129
 Antenna: 725057 LEIAR25.R4 LEIT

Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations





Cycle slips






Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

2024-04-18 00:00:00	GPS	4146524.0061	613138.6343	4791517.5622	49.011249531	8.411267518	183.0048
2024-04-18 00:00:00	GLO	4146524.2053	613138.5270	4791516.8478	49.011244086	8.411265668	182.5846
2024-04-18 00:00:00	GAL	4146524.2969	613138.3740	4791517.6557	49.011248464	8.411263601	183.2070
2024-04-18 00:00:00	BDS	4146581.0384	613095.0012	4791556.7243	49.011149386	8.410562636	248.6932



Equipment

2024-03-20 00:00:00 JAVAD TRE_3 DELTA 4.3.00-231129 02042 JAVAD TRE_

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)