


# GNSS observation file monitoring for NOT1


Last RINEX file: NOT11070.24D.Z  
 RINEX version: 3.04  
 Marker: NOT100ITA 12717M004  
 Receiver: 1705437 LEICA GR30 4.80/7.900  
 Antenna: 19203022 LEIAR20 NONE

## Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

## Satellites




## Bands







Observations






### Cycle slips






### Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


### Signal-to-noise ratio





**Estimates**

2024-04-16 00:00:00	GPS	4934545.8294	1321265.3228	3806456.4224	36.875847799	14.989792071	126.2303
2024-04-16 00:00:00	GLO	4934545.2898	1321263.9731	3806455.9044	36.875849204	14.989778756	125.2722
2024-04-16 00:00:00	GAL	4934546.0520	1321265.4543	3806456.6225	36.875848327	14.989792592	126.5985
2024-04-16 00:00:00	BDS	4934547.0152	1321269.9584	3806456.4975	36.875836096	14.989838598	128.1997



**Equipment**

2024-03-18 00:00:00 LEICA GR30 4.80/7.900 1705437 LEICA GR30

**Program info**

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)