


GNSS observation file monitoring for OBE4


Last RINEX file: OBE41090.24D.Z
 RINEX version: 3.05
 Marker: OBE400DEU 14208M007
 Receiver: 3046419 SEPT ASTERX4 4.10.0
 Antenna: 5612 SEPCHOKE_B3E6 NONE

Epochs










- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands








Observations








Cycle slips






Multipath









- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

2024-04-18 00:00:00	GPS	4186703.6461	834904.0973	4723664.8193	48.084809287	11.277865679	650.0819
2024-04-18 00:00:00	GLO	4186704.1243	834903.7237	4723663.8573	48.084800859	11.277859506	649.6305
2024-04-18 00:00:00	GAL	4186704.1298	834903.9614	4723665.0531	48.084807696	11.277862619	650.5550
2024-04-18 00:00:00	BDS	4186637.1381	834957.2664	4723639.2126	48.085022330	11.278740050	594.4028



Equipment

2024-03-20 00:00:00 SEPT ASTERX4 4.10.0 3046419 SEPT ASTER

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)