


GNSS observation file monitoring for ZECK


Last RINEX file: ZECK1060.24D.Z
 RINEX version: 3.04
 Marker: ZECK 12351M001
 Receiver: 02679 JAVAD TRE_3 DELTA 4.2.01-220630
 Antenna: 00314 JAVRINGANT_DM JVDM

Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands








Observations




Cycle slips




Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

2024-04-15 00:00:00	GPS	3451174.1989	3060335.8851	4391955.9882	43.788395419	41.565074526	1166.5174
2024-04-15 00:00:00	GLO	3451174.8528	3060336.4032	4391956.2801	43.788395757	41.565075233	1166.6693
2024-04-15 00:00:00	GAL	3451174.2889	3060335.7221	4391955.9649	43.788395693	41.565072333	1166.4112



Equipment

2024-03-17 00:00:00 JAVAD TRE_3 DELTA 4.2.01-220630 02679 JAVAD TRE_

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)