

GNSS observation file monitoring for 0513

Last RINEX file: 05131391.220


RINEX version: 3.02

Marker: 1111

Receiver: 513 TRIMBLE NETR9 5.52


Antenna: 513 TRM57971.00 NONE

Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations












Estimates

2022-05-18 10:41:30	GPS	4289074.0472	634943.7584	4662765.5830	47.272684890	8.420764870	515.4213
2022-05-18 10:41:30	GLO	4289074.7336	634943.5279	4662766.1613	47.272684155	8.420760528	516.2839
2022-05-18 10:41:30	GAL	4289074.0567	634943.6760	4662765.3030	47.272683198	8.420763774	515.2137
2022-05-18 10:41:30	BDS	4289074.8823	634947.0827	4662764.6015	47.272670225	8.420806709	515.5911



BNC





Equipment

2022-05-16 00:00:00 TRIMBLE NETR9 5.52 513 TRM57971.00 NONE 513

Program info

G-Nut/Anubis [2.3] compiled: Dec 30 2020 11:00:17 (\$Rev: 2843 \$)
BNC 2.13.0 (checkout 9163)