

GNSS observation file monitoring for 0513

Last RINEX file: 05131961.220

RINEX version: 3.02

Marker: 1305

Receiver: 513

Antenna: 513


TRIMBLE NETR9

5.52

TRM57971.00


NONE

Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands








Observations




Multipath












Estimates

2022-07-14 15:43:30	GPS	4388571.8693	551996.9666	4581719.8983	46.201071828	7.169046081	1351.0177
2022-07-14 15:43:30	GLO	4388573.7645	551996.9805	4581721.6638	46.201070600	7.169043196	1353.5947
2022-07-14 15:43:30	GAL	4388571.7454	551996.7344	4581719.5951	46.201070928	7.169043297	1350.6937
2022-07-14 15:43:30	BDS	4388567.2241	551996.7523	4581721.3859	46.201111184	7.169050835	1348.8830



BNC





Equipment

2022-07-12 00:00:00 TRIMBLE NETR9 5.52 513 TRM57971.00 NONE 513

Program info

G-Nut/Anubis [2.3] compiled: Dec 30 2020 11:00:17 (\$Rev: 2843 \$)
BNC 2.13.0 (checkout 9163)