

# GNSS observation file monitoring for 0512

Last RINEX file: 05122231.220


RINEX version: 3.02

Marker: GR3\_517

Receiver: 512 TRIMBLE NETR9 5.52

Antenna: 512 TRM57971.00 NONE


## Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


## Satellites




## Bands










Multipath






Signal-to-noise ratio










Estimates

|                     |     |              |             |              |              |              |          |
|---------------------|-----|--------------|-------------|--------------|--------------|--------------|----------|
| 2022-08-10 11:45:30 | GPS | 4351170.4994 | 778602.0701 | 4583411.4924 | 46.230221321 | 10.145181554 | 588.1656 |
| 2022-08-10 11:45:30 | GLO | 4351168.5980 | 778601.2929 | 4583408.6363 | 46.230216595 | 10.145175979 | 584.7137 |
| 2022-08-10 11:45:30 | GAL | 4351170.0969 | 778601.9738 | 4583410.9546 | 46.230220658 | 10.145181244 | 587.4914 |
| 2022-08-10 11:45:30 | BDS | 4351163.1979 | 778599.4098 | 4583412.1592 | 46.230275204 | 10.145164279 | 583.3510 |



BNC





Equipment

2022-08-08 00:00:00 TRIMBLE NETR9 5.52 512 TRM57971.00 NONE 512

Program info

G-Nut/Anubis [2.3] compiled: Dec 30 2020 11:00:17 (\$Rev: 2843 \$)  
BNC 2.13.0 (checkout 9163)