

GNSS observation file monitoring for 0518

Last RINEX file: 05182981.220

RINEX version: 3.02

Marker: 1274

Receiver: 518

Antenna: 518


TRIMBLE NETR9

5.52

TRM57971.00


NONE

Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations




Multipath






Signal-to-noise ratio









Estimates

2022-10-24 12:47:30	GPS	4350701.0194	707130.6723	4595713.8793	46.387909180	9.231705045	855.2506
2022-10-24 12:47:30	GLO	4350702.3847	707130.7531	4595714.3405	46.387903181	9.231703234	856.5230
2022-10-24 12:47:30	GAL	4350705.0731	707130.6101	4595718.2591	46.387910362	9.231695794	861.1748
2022-10-24 12:47:30	BDS	4350692.2402	707124.2068	4595702.7882	46.387903555	9.231640398	840.5277



BNC





2022-10-24 00:00:00 TRIMBLE NETR9 5.52 518 TRM57971.00 NONE 518

Program info

G-Nut/Anubis [2.3] compiled: Dec 30 2020 11:00:17 (\$Rev: 2843 \$)
BNC 2.13.0 (checkout 9163)