


# GNSS observation file monitoring for AJAC


Last RINEX file: AJAC1100.24D.Z  
 RINEX version: 3.04  
 Marker: AJAC 10077M005  
 Receiver: 2090088 LEICA GR50 4.51  
 Antenna: 612223841 TRM115000.00 NONE

## Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

## Satellites




## Bands







Observations





Cycle slips





### Multipath







- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.

### Signal-to-noise ratio








**Estimates**

2024-04-19 00:00:00	GPS	4696988.5337	723994.6516	4239678.4780	41.927462184	8.762618403	98.0902
2024-04-19 00:00:00	GLO	4696989.3956	723994.0072	4239678.7963	41.927459782	8.762609141	98.8636
2024-04-19 00:00:00	GAL	4696988.9777	723994.7568	4239678.5708	41.927460069	8.762618840	98.4906
2024-04-19 00:00:00	BDS	4697052.3002	723944.0019	4239715.1364	41.927375018	8.761897788	163.7329



**Equipment**

2024-03-21 00:00:00 LEICA GR50 4.51 2090088 LEICA GR50

**Program info**

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)