

GNSS observation file monitoring for AO01

Last RINEX file: AO011970.25D.Z


RINEX version: 3.03

Marker: AO01

Receiver: 1703680 LEICA GR30 4.82

Antenna: 18183001 LEIAR10 NONE


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands









Observations




Cycle slips






Multipath










- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.

Signal-to-noise ratio








Estimates

2025-07-16 00:00:00	GPS	4423413.8733	568331.1800	4545353.6468	45.736841896	7.321393045	660.3412
2025-07-16 00:00:00	GLO	4423414.6496	568330.7911	4545352.3670	45.736829187	7.321386837	659.4196
2025-07-16 00:00:00	GAL	4423414.1446	568331.2042	4545353.6560	45.736840205	7.321392987	660.5145
2025-07-16 00:00:00	BDS	4423414.1519	568331.0684	4545354.0696	45.736842981	7.321391350	660.8321



Equipment

2025-06-17 00:00:00 LEICA GR30 4.82 1703680 LEICA GR30

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)