


GNSS observation file monitoring for BOR1


Last RINEX file: BOR11100.24D.Z
 RINEX version: 3.02
 Marker: BOR1 12205M002
 Receiver: 5420R485 TRIMBLE NETR9 5.45
 Antenna: 5421355014 TRM59800.00 NONE

Epochs





- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations





Cycle slips






Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

| | | | | | | | |
|---------------------|-----|--------------|--------------|--------------|--------------|--------------|----------|
| 2024-04-19 00:00:00 | GPS | 3738357.8436 | 1148174.2279 | 5021816.1107 | 52.276961708 | 17.073466305 | 124.3669 |
| 2024-04-19 00:00:00 | GLO | 3738359.1445 | 1148173.7895 | 5021816.5334 | 52.276956108 | 17.073454569 | 125.3833 |
| 2024-04-19 00:00:00 | GAL | 3738358.0804 | 1148174.0391 | 5021815.8993 | 52.276959313 | 17.073462724 | 124.2727 |
| 2024-04-19 00:00:00 | BDS | 3738357.0736 | 1148173.2930 | 5021815.1656 | 52.276963275 | 17.073455108 | 122.4596 |



Equipment

2024-03-21 00:00:00 TRIMBLE NETR9 5.45 5420R485 TRIMBLE NE

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)