

GNSS observation file monitoring for BRMG

Last RINEX file: BRMG1970.25D.Z


RINEX version: 3.05

Marker: BRMG 10918M001

Receiver: 04934 JAVAD TRE_3S DELTA 4.5.00-241014

Antenna: 726856 LEIAR25.R4 LEIT


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands













Observations




Cycle slips












Multipath













- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-07-16 00:00:00	GPS	4245557.1826	568958.0935	4710200.4987	47.907740454	7.632878429	262.0203
2025-07-16 00:00:00	GLO	4245557.7722	568957.4737	4710199.3836	47.907730380	7.632869164	261.5293
2025-07-16 00:00:00	GAL	4245557.4883	568958.2274	4710200.4952	47.907738292	7.632879660	262.2327
2025-07-16 00:00:00	BDS	4245558.2119	568957.8285	4710201.6894	47.907741058	7.632873087	263.5642



Equipment

2025-06-17 00:00:00 JAVAD TRE_3S DELTA 4.5.00-241014 04934 JAVAD TRE_

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)