

GNSS observation file monitoring for BZR2

Last RINEX file: BZR21970.25D.Z


RINEX version: 3.04

Marker: BZR2 12751M003

Receiver: 1707020 LEICA GR30 4.80/7.900

Antenna: 726507 LEIAR25.R4 LEIT


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.



- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands










Observations










Multipath













- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.

Signal-to-noise ratio











Estimates

2025-07-16 00:00:00	GPS	4312892.4819	864794.9489	4603599.0979	46.495795605	11.338242231	331.4719
2025-07-16 00:00:00	GLO	4312893.3478	864794.5605	4603597.7406	46.495781657	11.338235407	331.3927
2025-07-16 00:00:00	GAL	4312892.7138	864795.0804	4603599.0974	46.495793519	11.338243335	331.6097
2025-07-16 00:00:00	BDS	4312892.9494	864795.1173	4603600.1129	46.495798684	11.338243184	332.5464





Equipment

2025-06-17 00:00:00 LEICA GR30 4.80/7.900 1707020 LEICA GR30

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)