

GNSS observation file monitoring for CBW1

Last RINEX file: CBW11970.25D.Z


RINEX version: 3.04

Marker: CBW1 13536M001

Receiver: 1870649 LEICA GR50 4.80/7.900

Antenna: 20331002 LEIAR20 LEIM


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites









Bands













Observations













Multipath












- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-07-16 00:00:00	GPS	3923112.7563	338135.8184	5000752.7517	51.969550440	4.926188562	45.6999
2025-07-16 00:00:00	GLO	3923113.0911	338134.8028	5000752.0892	51.969545616	4.926174166	45.5815
2025-07-16 00:00:00	GAL	3923112.4220	338135.8304	5000752.3594	51.969550617	4.926189154	45.1863
2025-07-16 00:00:00	BDS	3923113.2226	338135.8324	5000753.4654	51.969551094	4.926188183	46.5491



Equipment

2025-06-17 00:00:00 LEICA GR50 4.80/7.900 1870649 LEICA GR50

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)