


GNSS observation file monitoring for DAV2


Last RINEX file: DAV21100.24D.Z
 RINEX version: 3.04
 Marker: DAV2
 Receiver: 5424R488 TRIMBLE NETR9 5.56
 Antenna: 60376 TRM59800.00 NONE

Epochs










- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations





Cycle slips






Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

2024-04-19 00:00:00	GPS	4309597.3566	747780.1604	4628764.3331	46.813032102	9.843673627	1645.3748
2024-04-19 00:00:00	GLO	4309598.5808	747779.3657	4628765.0104	46.813029252	9.843660628	1646.6012
2024-04-19 00:00:00	GAL	4309597.7154	747780.2310	4628764.3303	46.813029688	9.843673733	1645.6230
2024-04-19 00:00:00	BDS	4309594.8365	747777.6127	4628761.8706	46.813036084	9.843646388	1641.5820



Equipment

2024-03-21 00:00:00 TRIMBLE NETR9 5.56 5424R488 TRIMBLE NE

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)