

GNSS observation file monitoring for ELGG

Last RINEX file: ELGG2590.26D.Z


RINEX version: 3.04

Marker: ELGG

Receiver: 5429R491 TRIMBLE NETR9 5.56

Antenna: 1551021790 TRM105000.10 NONE


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.



Satellites




Bands










Observations










Multipath













- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.

Signal-to-noise ratio








Estimates

2026-09-16 00:00:00	GPS	4265707.8014	666075.4035	4679775.6115	47.498181445	8.874871059	562.2384
2026-09-16 00:00:00	GLO	4265708.5119	666075.6868	4679775.5924	47.498176337	8.874873324	562.6658
2026-09-16 00:00:00	GAL	4265707.5542	666075.5187	4679775.2544	47.498180729	8.874873081	561.7598
2026-09-16 00:00:00	BDS	4265708.3030	666076.1644	4679775.1179	47.498174334	8.874880015	562.2264



Equipment

2026-08-18 00:00:00 TRIMBLE NETR9 5.56 5429R491

Program info

G-Nut/Anubis Free [3.11] Apr 2 2026 20:39:38 (Rev: 4828)