

GNSS observation file monitoring for HGGL

Last RINEX file: HGGL1970.25D.Z


RINEX version: 3.04

Marker: HGGL

Receiver: 495783 LEICA GRX1200+GNSS 9.20/6.407

Antenna: 10020015 LEIAR25.R3 NONE


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations






Cycle slips






Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio






Estimates

2025-07-16 00:00:00 GPS 4281307.0579 621468.5708 4671726.9117 47.391056157 8.259287438 571.4998
2025-07-16 00:00:00 GLO 4281307.1568 621467.9477 4671725.5721 47.391048381 8.259279304 570.1829





Equipment

2025-06-17 00:00:00 LEICA GRX1200+GNSS 9.20/6.407 495783 LEICA GRX1

2025-06-24 00:00:00

2025-06-25 00:00:00

GPPNULLANTENNA 10020015

LEIAR25.R3 NONE 10020015

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)