


GNSS observation file monitoring for HOH2


Last RINEX file: HOH21100.24D.Z
 RINEX version: 3.04
 Marker: HOH2
 Receiver: 5429R491 TRIMBLE NETR9 5.56
 Antenna: 5409354972 TRM59800.00 NONE

Epochs










- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations






Cycle slips






Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

2024-04-19 00:00:00	GPS	4372948.0763	596124.9333	4590551.9758	46.319407118	7.762771300	985.8021
2024-04-19 00:00:00	GLO	4372949.9495	596124.4814	4590552.7636	46.319400336	7.762762203	987.6115
2024-04-19 00:00:00	GAL	4372948.6645	596124.7718	4590552.1070	46.319404264	7.762767970	986.2356
2024-04-19 00:00:00	BDS	4372948.7793	596122.5846	4590549.8446	46.319391723	7.762742307	986.7551



Equipment

2024-03-21 00:00:00 TRIMBLE NETR9 5.56 5429R491 TRIMBLE NE

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)