

GNSS observation file monitoring for JOZ2

Last RINEX file: JOZ21970.25D.Z


RINEX version: 3.05

Marker: JOZ2 12204M002

Receiver: 5541R500 TRIMBLE NETR9 5.50

Antenna: 5516356133 TRM59800.00 NONE


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites









Bands













Observations








Multipath










- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.

Signal-to-noise ratio










Estimates

2025-07-16 00:00:00	GPS	3664879.9947	1409191.0879	5009618.9022	52.097840968	21.032360808	152.7025
2025-07-16 00:00:00	GLO	3664880.5564	1409190.2037	5009618.3056	52.097835914	21.032345816	152.6062
2025-07-16 00:00:00	GAL	3664880.4937	1409191.2544	5009619.1018	52.097838162	21.032360571	153.1163
2025-07-16 00:00:00	BDS	3664879.5004	1409191.2145	5009621.8353	52.097859930	21.032365700	154.8819



Equipment

2025-06-17 00:00:00 TRIMBLE NETR9 5.50 5541R500 TRIMBLE NE

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)