

GNSS observation file monitoring for JUJ3

Last RINEX file: JUJ33370.25D.Z


RINEX version: 3.04

Marker: JUJ3

Receiver: 1873195 LEICA GR50 4.83/7.900

Antenna: 64303R0067 TRM105000.10+MS JUJU


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands













Observations




Cycle slips













Multipath













- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio













Estimates

2025-12-03 00:00:00	GPS	4354212.2280	610774.6031	4609951.5654	46.547496442	7.984901731	3634.4298
2025-12-03 00:00:00	GLO	4354213.9288	610773.4705	4609955.0874	46.547507395	7.984884958	3637.5412
2025-12-03 00:00:00	GAL	4354212.6939	610774.7159	4609951.7011	46.547494487	7.984902945	3634.9178
2025-12-03 00:00:00	BDS	4354212.2721	610775.1226	4609951.7009	46.547496523	7.984908355	3634.6079





Equipment

2025-12-01 11:04:30 LEICA GR50 4.83/7.900 1873195
2025-12-02 09:40:00 TRM105000.10+MS JUJU 64303R0067

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)