


GNSS observation file monitoring for LOMO


Last RINEX file: LOMO1100.24D.Z
 RINEX version: 3.04
 Marker: LOMO
 Receiver: 5429R491 TRIMBLE NETR9 5.56
 Antenna: 6237333493 TRM159900.00 NONE

Epochs










- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations





Cycle slips






Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

2024-04-19 00:00:00	GPS	4372866.5664	675973.6207	4578867.5038	46.172569657	8.787435402	438.1288
2024-04-19 00:00:00	GLO	4372868.3032	675973.6441	4578868.7455	46.172566229	8.787432266	440.2157
2024-04-19 00:00:00	GAL	4372866.5849	675973.4214	4578867.3151	46.172568456	8.787432826	437.9322
2024-04-19 00:00:00	BDS	4372865.4488	675970.2267	4578865.1988	46.172565831	8.787394180	435.3420



Equipment

2024-03-21 00:00:00 TRIMBLE NETR9 5.56 5429R491 TRIMBLE NE

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)