

GNSS observation file monitoring for MAN2

Last RINEX file: MAN21970.25D.Z


RINEX version: 3.03

Marker: MAN2 10091M002

Receiver: 5615R500 TRIMBLE NETR9 5.33

Antenna: 1551009339 TRM57971.00 NONE


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands









Observations





Cycle slips









Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.

Signal-to-noise ratio








Estimates

2025-07-16 00:00:00	GPS	4274276.1877	11584.7499	4718387.0404	48.018621140	0.155290855	168.9542
2025-07-16 00:00:00	GLO	4274276.8316	11584.2017	4718386.0724	48.018611138	0.155282966	168.3382
2025-07-16 00:00:00	GAL	4274275.9534	11584.7680	4718386.5439	48.018619448	0.155291073	168.3337



Equipment

2025-06-17 00:00:00 TRIMBLE NETR9 5.33 5615R500 TRIMBLE NE

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)