

GNSS observation file monitoring for MAR6

Last RINEX file: MAR61970.25D.Z


RINEX version: 3.04

Marker: MAR6 10405M002

Receiver: 3025729 SEPT POLARX5 5.5.0

Antenna: A0090304 JAVRINGANT_DM OSOD


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites





Bands












Observations




Cycle slips














Multipath














- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-07-16 00:00:00	GPS	2998189.2747	931452.1880	5533399.5016	60.595147538	17.258534426	76.1527
2025-07-16 00:00:00	GLO	2998188.7586	931451.2258	5533397.4442	60.595144558	17.258520451	73.9782
2025-07-16 00:00:00	GAL	2998189.3671	931452.2930	5533399.2940	60.595145658	17.258535880	76.0558
2025-07-16 00:00:00	BDS	2998188.9413	931452.3384	5533399.7086	60.595150591	17.258538853	76.1986



Equipment

2025-06-17 00:00:00 SEPT POLARX5 5.5.0 3025729 SEPT POLAR

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)