

GNSS observation file monitoring for MET3

Last RINEX file: MET31970.25D.Z


RINEX version: 3.04

Marker: MET3 10503M010

Receiver: 02942 JAVAD TRE_3 DELTA 4.3.00-231129

Antenna: 00742 JAVRINGANT_DM SCIS


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands













Observations




Cycle slips













Multipath
















- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-07-16 00:00:00	GPS	2892583.8309	1311799.8757	5512620.0979	60.217457225	24.394507330	79.3923
2025-07-16 00:00:00	GLO	2892583.2793	1311798.6055	5512618.4059	60.217457681	24.394490571	77.4137
2025-07-16 00:00:00	GAL	2892583.9661	1311799.8450	5512620.1369	60.217456539	24.394505819	79.4810
2025-07-16 00:00:00	BDS	2892584.1662	1311798.8415	5512621.1107	60.217462689	24.394487841	80.2108



Equipment

2025-06-17 00:00:00 JAVAD TRE_3 DELTA 4.3.00-231129 02942 JAVAD TRE_

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)