

GNSS observation file monitoring for REDU

Last RINEX file: REDU1970.25D.Z


RINEX version: 4.01

Marker: REDU 13102M001

Receiver: 4701364 SEPT POLARX5TR 5.5.0

Antenna: 5644 SEPCHOKE_B3E6 NONE


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands













Observations




Cycle slips












Multipath
















Signal-to-noise ratio












Estimates

2025-07-16 00:00:00	GPS	4091423.6201	368381.2904	4863180.3402	50.001502914	5.144892214	370.5328
2025-07-16 00:00:00	GLO	4091424.0902	368380.9715	4863179.8268	50.001499374	5.144887115	370.7705
2025-07-16 00:00:00	GAL	4091423.7102	368381.3744	4863180.1911	50.001501382	5.144893268	370.4811
2025-07-16 00:00:00	BDS	4091423.4947	368381.7714	4863180.5654	50.001504778	5.144899053	370.6528



Equipment

2025-06-17 00:00:00 SEPT POLARX5TR 5.5.0 4701364 SEPT POLAR

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)