


GNSS observation file monitoring for SAR2


Last RINEX file: SAR21100.24D.Z
 RINEX version: 3.04
 Marker: SAR2
 Receiver: 5433R493 TRIMBLE NETR9 5.56
 Antenna: 5115354093 TRM59800.00 NONE

Epochs










- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.
- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.

Satellites




Bands







Observations





Cycle slips






Multipath






- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio





Estimates

2024-04-19 00:00:00	GPS	4300071.3950	720155.4577	4641377.4787	46.98268864	9.507391491	1265.6138
2024-04-19 00:00:00	GLO	4300072.7788	720154.9547	4641377.8771	46.982682851	9.507382097	1266.8528
2024-04-19 00:00:00	GAL	4300071.4833	720155.1841	4641377.2674	46.982687263	9.507387883	1265.5613
2024-04-19 00:00:00	BDS	4300071.0667	720154.4282	4641377.1575	46.982690112	9.507378989	1265.1154



Equipment

2024-03-21 00:00:00 TRIMBLE NETR9 5.56 5433R493 TRIMBLE NE

Program info

G-Nut/Anubis Free [3.8] Mar 3 2024 20:32:19 (Rev: 4233)