

GNSS observation file monitoring for WARE

Last RINEX file: WARE1970.25D.Z


RINEX version: 4.01

Marker: WARE 13114M001

Receiver: 3069768 SEPT POLARX5 5.5.0

Antenna: 5129354196 TRM59800.00 NONE


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands













Observations




Cycle slips
























- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio















Estimates

2025-07-16 00:00:00	GPS	4031947.2496	370151.4290	4911906.4749	50.689876859	5.245314867	188.3095
2025-07-16 00:00:00	GLO	4031947.1920	370150.9480	4911905.0852	50.689871238	5.245308333	187.4039
2025-07-16 00:00:00	GAL	4031947.1757	370151.5046	4911906.3247	50.689876467	5.245316028	188.1511
2025-07-16 00:00:00	BDS	4031946.7934	370151.5373	4911906.5214	50.689880215	5.245316983	188.0640



Equipment

2025-06-17 00:00:00 SEPT POLARX5 5.5.0 3069768 SEPT POLAR

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)