

GNSS observation file monitoring for WT21

Last RINEX file: WT213370.25D.Z


RINEX version: 3.05

Marker: WT21 14201M021

Receiver: 02539 JAVAD TRE_3 DELTA 4.5.00-241014

Antenna: 725558 LEIAR25.R4 LEIT


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites




Bands













Observations




Cycle slips













Multipath















- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-12-03 00:00:00	GPS	4075538.2960	931664.0132	4801628.8933	49.145123461	12.876503028	657.2493
2025-12-03 00:00:00	GLO	4075539.2579	931664.0983	4801629.5983	49.145121210	12.876501499	658.5255
2025-12-03 00:00:00	GAL	4075538.7462	931664.1391	4801629.0887	49.145121629	12.876503582	657.8848
2025-12-03 00:00:00	BDS	4075539.2972	931663.7050	4801630.1923	49.145124976	12.876495382	658.8435



Equipment

2025-11-06 00:00:00 JAVAD TRE_3 DELTA 4.5.00-241014 02539

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)