

GNSS observation file monitoring for WTZR

Last RINEX file: WTZR1970.25D.Z


RINEX version: 3.04

Marker: WTZR 14201M010

Receiver: 1831551 LEICA GR50 4.50/7.710

Antenna: 10020031 LEIAR25.R3 LEIT


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites





Bands






















Observations




Cycle slips










Multipath










Signal-to-noise ratio










Estimates

2025-07-16 00:00:00	GPS	4075580.5076	931854.2719	4801568.9846	49.144203033	12.878916242	666.7101
2025-07-16 00:00:00	GLO	4075580.7993	931853.2506	4801567.3366	49.144192955	12.878901705	665.5007
2025-07-16 00:00:00	GAL	4075580.8908	931854.3305	4801569.0258	49.144200646	12.878915854	666.9941
2025-07-16 00:00:00	BDS	4075581.1912	931854.2500	4801570.2201	49.144205800	12.878913861	668.0773



Equipment

2025-06-17 00:00:00 LEICA GR50 4.50/7.710 1831551 LEICA GR50

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)