

GNSS observation file monitoring for WTZS

Last RINEX file: WTZS3370.25D.Z


RINEX version: 3.04

Marker: WTZS 14201M015

Receiver: 3022895 SEPT POLARX5TR 5.6.0

Antenna: 10020020 LEIAR25.R3 LEIT


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.


Satellites





Bands































Observations






Cycle slips












7/16
















- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-12-03 00:00:00	GPS	4075535.2194	931822.8267	4801609.8216	49.144791101	12.878634474	664.1326
2025-12-03 00:00:00	GLO	4075535.5187	931822.0881	4801609.4230	49.144787892	12.878623691	663.9143
2025-12-03 00:00:00	GAL	4075535.3744	931822.7739	4801609.6833	49.144789727	12.878633783	664.1237
2025-12-03 00:00:00	BDS	4075535.7791	931822.2708	4801610.8774	49.144794443	12.878625337	665.2070



Equipment

2025-11-08 00:00:00 SEPT POLARX5TR 5.6.0 3022895

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)