

GNSS observation file monitoring for ZOUF

Last RINEX file: ZOUF1970.25D.Z


RINEX version: 3.05

Marker: ZOUF 12763M001

Receiver: 1294-137 TPS NET-G5 5.6+2406251100

Antenna: 20415 ASH701945C_M SCIT


Epochs




- "UseEp": The usable epoch is introduced if four or more satellites are observed with the minimum of two frequencies.


- Cycle slip detection algorithm is based on Melbourne-Wübbena and geometry-free LC.



Satellites




Bands










Observations




Cycle slips










Multipath












- The multipath is estimated as a standard deviation over a sequence of consecutive epochs.


Signal-to-noise ratio












Estimates

2025-07-16 00:00:00	GPS	4282709.9060	986659.9277	4609470.3654	46.557223988	12.973558426	1946.90222
2025-07-16 00:00:00	GLO	4282710.3545	986659.3365	4609469.5001	46.557216650	12.973549602	1946.48322
2025-07-16 00:00:00	GAL	4282696.9781	986656.2207	4609455.9917	46.557223196	12.973549050	1926.81155
2025-07-16 00:00:00	BDS	4282711.0066	986659.5695	4609471.8390	46.557229305	12.973552213	1948.55911



Equipment

2025-06-17 00:00:00 TPS NET-G5 5.6+2406251100 1294-137 TPS NET-G5

Program info

G-Nut/Anubis Free [3.10] Mar 19 2025 09:09:21 (Rev: 4538)